

# ASPIRATORS VENTILATORS

## AV 28 S

Ventilator/aspiratos gasoline engine

### GASOLINE



Ventilation positive and negative



- High power, can be used everywhere in autonomy
- Stainless steel frame with foldable handle and lifting hook for convenient handling
- The air hoses can be mounted on the inlets in just a few moments and without the need for tools thanks to the exclusive quick eyelet system
- The volute and the air fan can be washed without problems

**Practical centrifugal ventilator/aspirator with gasoline engine.** Powerful and easy transportable its use is mandatory by law for putting in safety conditions an ambient before and during operations in closed environment that could be dangerous or explosive like tunnels, basements, manholes, silos, large tanks, holds, wells, petrochemical plants, gas stations, mines, laboratories, narrow trenches, sewers ducts, gas distribution networks, etc...Extremely light can be used with or without the flexible hose, flexible hoses are needed when the air has to be transported IN or FROM a precise point, without hoses can be used as positive ventilator blower to make a powerful and direct "air wall". The volute and impeller are in robust polyetilene and polypropylene materials invulnerable to water, rust and corrosion, the frame is in indestructible stainless steel.

TECHNICAL CHARACTERISTICS	AV 28 S - GASOLINE ENGINE
Weight (kg)	21
Dimension LxPxH (cm)	60x57x74
Mouth diameter	200 mm (8")
Engine power	3 Hp Honda
Volute and fan	polyetilene
Air flow	2100 m <sup>3</sup> xh @ 2900 fan turns
Inclination	no

Typical complete set

